

# T-208A 8" Coaxial Ceiling Loudspeaker(3.75W-7.5W-15W-30W)

### Features

- Built-in 100v/70v transformer
- Superior sound quality speaker for music & speech
- In-ceiling type loudspeaker
- 8" +1.5" coaxial plastic speaker unit
- Power taps 3.75W, 7.5W, 15W & 30W @100V
- Metal grille & ABS baffle
- Paint in white color
- Flush mount easy & secure installation

### Description

The T-208A is a ceiling speaker built-in 70v/100v transformer. The 70v/100v transformer technique reduces line losses on longer distance and allows easy parallel connection of multiple loudspeakers.



The built-in 8"+1.5" coaxial plastic speaker driver is designed of wide frequency response 60-20kHz, the multiple power taps 3.75W, 7.5W, 15W & 30W are helpful for different applications varies from room size and ambient noise surroundings. The metal grille and ABS baffle are painted in attractive white color. Its flush mount type makes the easy and secure installation.

It is ideal choice for industrial and commercial applications in hotel, school, office and factory where background music and paging is needed.


## Specification

Model	T-208A
Power Taps @100V	3.75W, 7.5W, 15W, 30W
Power Taps @70V	1.87W, 3.75W, 7.5W, 15W
Impedance	Black: Com Blue:2.6KΩ Red:1.3KΩ
	Green:670Ω White:330Ω
SPL(1W/1M)	94dB
Max. SPL (Rated W/1M)	109dB
Frequency Response (-10dB)	60-20KHz
Finish	Baffle: ABS, White Grille: Steel, White
Speaker Driver	8" x 1 1.5" x 1
Cutout Size	245mm
Dimensions	275 x120mm
Weight	1.6Kg
Mounting	Flush-mount dog ears




# T-208A 8" Coaxial Ceiling Loudspeaker(3.75W-7.5W-15W-30W)


### Appearance:



# **Direction Diagram:**



### **Frequency Response:**



Website: www.itc-pa.com.cn; Mail: info@itc-pa.com.cn